

Seating for public areas, acc. to EN 16139, EN 1022, EN 1728 and DIN 4573

update Stacking chair





wiesner hager



Environmental Product Declaration

EPD

Design: arge2

Manufacture	Wissess Harry Miles Corbill
Manufacturer Declaration holder	Wiesner-Hager Möbel GmbH Linzer Straße 22
Deciaration holder	A-4950 Altheim
	Tel. 0043 7723 460-0
	http://www.wiesner-hager.com/en/
	http://www.wiesher-nager.com/en/
EPD number	TA 22012 1634 6350-201 03297740300
Declared product	6350-201 update
	update Stacking chair
Purpose	This declaration was compiled according to ISO 14025 and EN 15804 type B. It
	describes the environmental rating of the listed product and gives the possibility
	to compare it with other similar products.
Data origin	The content of this declaration is based on the results of the operational life cycle
	assessment, according to EN ISO 14040/44 of the fiscal year 2022/23. The used
	generic data comes from acknowledged life cycle management databases and
	current EPD's of the declaration holders upstream products and are calculated
	using the CML method.
	https://www.wiesner-hager.com/en/about-us/sustainability/life-cycle-assessment/
Auditing	The procedure to compile this declaration was audited on 14 th September 2023
	by TÜV Austria GmbH.
Auditor	DiplIng. Dr. Jürgen Hain, TÜV Austria GmbH, Wien
Certification	By means of the certificate TA 22012 1634 from 26 th September 2023, TÜV
00111110411011	Austria GmbH authorizes the declaration holder to generate EPD type III.
	Download certificate
Validity	The certificate is valid until 30 th September 2026. The compliance of the
	requirements will be ensured by annual, internal and external evaluations.
Issuer	Gerhard Steigthaler, Master of Sciene, environmental engineer
Date of issue	29. February 2024

- Picture	laration includes s, descriptions and fulfilled standards		Conten
	ation about life cycle assessment		
	c characteristics of the product configuration		
-	ors of the life cycle and impact assessment		
- Details	on the material composition of the product		
- Informa	ation about material certificates of the used raw materials		
- Recycli	ing potentials		
	essment of the declared product covers the whole lifecycle proce		Investigatio
	materials, manufacturing and disposal, including all transporta		fram
	cipated lifespan of the product is 15 years, assuming the product		
	ine with the manufacturer's guidance and for the application it was		
	d and intended. As a result of the high product quality, no repairs acted during the lifetime and no environmental impact is anticipat		
	ling is carried out in line with European standards.	.eu.	
-	ent parts are separated and recycled accordingly and any remai	ning	
-	aterial is incinerated under strict controls for the generation of er	-	
	port distances including those of our suppliers and subcontractor	••	
-	idered; all distances are calculated using route planning softwar		
	ance between the declaration holder and the end user is 500 km		
the aver	age distance between the end user and the waste management		
company	y is calculated at 50 km.		
The stan	dard EN 15804 describes the basic rules for the preparation of	anviron-	Syste
			boundarie
mantal n	iroduct declarations for huilding materials. Furniture are still irrela		
-	product declarations for building materials. Furniture are still irrele		boundarie
for susta	inability certifications of buildings, however we try to assign the I	nigh	boundarie
for susta transpar	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follow	nigh	boundarie
for susta transpar	inability certifications of buildings, however we try to assign the I	nigh	boundarie
for susta transpare lifecycles	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follow	nigh	boundarie
for susta transpar lifecycles Phase	unability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document:	nigh wing relevant	boundarie
for susta transpare lifecycles Phase A1	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle	nigh wing	boundarie
for susta transpard lifecycles Phase A1 A2	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing	relevant yes	boundarie
for susta transpar	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products	relevant yes yes	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4	ency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products	relevant yes yes yes	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A4 A5	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product **)	relevant yes yes yes no	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A4 A5 B1	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *)	relevant yes yes yes no yes	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A4 A5 B1 B2	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance	relevant yes yes yes no yes yes yes	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A4 A5 B1 B2 B3	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair	relevant yes yes yes no yes yes no no no	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A4 A5 B1 B2 B3 B4	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute	relevant yes yes yes no yes yes no no no no	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A4 A5 B1 B2 B3 B4	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation	relevant yes yes yes no yes yes no no no no	boundarie
for susta transpare lifecycles Phase A1 A2 A3 A4 A4 A5 B1 B2 B3 B4 B5	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment	relevant yes yes yes no yes yes no no no no no	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A4 A5 B1 B2 B3 B4 B5 B6 B7	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment	relevant yes yes yes no yes yes no no no no no no no	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A5 B1 B2 B3 B4 B5 B6 B7	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition	relevant yes yes yes no yes yes no no no no no no no no	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition transportation to waste treatment	relevant yes yes yes no yes yes no	boundarie
for susta transpare lifecycles Phase A1 A2 A3 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1 C2 C3	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition transportation to waste treatment waste treatment	relevant yes yes yes no yes yes no yes yes	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1 C2 C3 C4	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition transportation to waste treatment	relevant yes yes yes no yes yes no	Doundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1 C2 C3 C4 D	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition transportation to waste treatment waste treatment landfilling recycling potential	relevant yes yes yes no yes yes no no no no no no no no no yes yes yes yes yes	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1 C2 C3 C4 D	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition transportation to waste treatment waste treatment landfilling recycling potential	relevant yes yes yes no yes yes no no no no no no no no no yes yes yes yes yes yes	boundarie
for susta transpare lifecycles Phase A1 A2 A3 A4 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1 C2 C3 C4 D	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition transportation to waste treatment waste treatment landfilling recycling potential cc. to EN 15804 the modul A4 describes the transport of the build building site, here it stands for the transport of furniture to the er	relevant yes yes yes no yes yes no yes	Doundarie
for susta transpare lifecycles Phase A1 A2 A3 A4 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1 C2 C3 C4 D	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition transportation to waste treatment waste treatment landfilling recycling potential	relevant yes yes yes no yes yes no no no no no no no no no ses yes yes yes yes yes yes yes yes yes	Doundarie

The general information of the LCA refers to whole lifecycle, beginning with the raw material make, the manufacturing of the product until the disposal of <i>one</i> unit of the product with an anticipated lifespan of 15 years. But the division of impact factors with the masses of the product allowes also a specific statement in mass.	Functional unit
Seating for public areas, acc. to EN 16139, EN 1022, EN 1728 and DIN 4573	Application
6350-201 update update Stacking chair, beech, seat shell plywood, upholstered seat	Identification of product
Discreet, unpretentious and light – and still a strong offering when it comes to value for money – this is update, "the chair for every occasion". After all, this "multi-functional talent" fulfils high aspirations in appearance and design and, at the same time, update surprises with lower price levels than other products of its kind. The multi-purpose design chair convinces as being an ideal match for multi-function halls, lecture rooms, training and recreation rooms.	Description of product
cover 1 fabric S3140 plain black; upholstery without quilting seams; colour of wood B02 natural beech; colour of metal chrome; leg finish plastic glides	Configuration of


Eco-balance indicators

LCA Indicators		Global	Ozone	Acidifi-	Nutrifi-	Ozone	Abiotic
		warming	depletion	cation	cation	creation	resources
		GWP	ODP	AP	NP	POCP	ADPE
		CO2 eq.	CCI3F eq.	SO2 eq.	PO4-3 eq.	C2H4 eq.	Sb eq.
Lifecycle		(kg)	(mg)	(g)	(g)	(g)	(g)
Raw material make	A1-A3	4,98	0,04	4,24	27,63	4,07	0,15
Transportation	A4	0,38	0,00	-0,29	0,87	0,21	0,00
Internal production	A5	6,15	0,01	0,04	6,56	1,54	0,04
Sub-contracting	A5	0,00	0,00	0,0	0,00	0,00	0,00
Transport to the end user	A4	0,20	0,00	-0,15	0,46	0,11	0,00
Waste treatment	C2-C4	4,72	0,00	0,00	0,37	0,09	0,00
Recycling potential D		-6,85	-0,61	-1,39	-12,07	-0,82	0,00
Total		9,57	-0,56	2,45	23,83	5,20	0,19

Use of resources		Abiotic	Primary energ	gy renewable	Primary er	ergy fossil	Use
		fossil	energy	material	energy	material	recycled
		fuels	carrier	use	carrier	use	fibre
		ADPF	PERE	PERM	PENRE	PENRM	SM
Lifecycle		(MJ)	(MJ)	(MJ)	(MJ)	(MJ)	(kg)
Raw material make	A1-A3	136,69	107,73	65,39	127,28	17,70	0,59
Transportation	A4	5,09	0,31	0,00	5,11	0,00	0,00
Internal production	A5	55,79	38,94	0,09	54,44	0,70	0,00
Sub-contracting	A5	0,00	0,00	0,00	0,00	0,00	0,00
Transport to the end user	A4	2,68	0,16	0,00	2,69	0,00	0,00
Waste treatment	C2-C4	0,59	0,15	-45,63	10,80	-13,09	0,00
Recycling potential D		-63,93	55,84	0,00	-69,41	0,00	0,00
Total		136,92	203,12	19,85	130,90	5,31	0,59


	Recycl	ed fuels	Use		Waste		
Use of resources / waste		renewable	fossil	sweetwater	dangerous	no	radioactive
				resources	waste site	dangerous	waste
		(RSF)	(NRSF)	FW	(HWD)	(NHWD)	(RWD)
Lifecycle		(MJ)	(MJ)	(m³)	(kg)	(kg)	(kg)
Raw material make	A1-A3	0,00	0,00	0,03	0,00	0,18	0,00
Transportation	A4	0,00	0,00	0,00	0,00	0,00	0,00
Internal production	A5	0,00	0,00	0,05	0,00	0,08	0,00
Sub-contracting	A5	0,00	0,00	0,00	0,00	0,00	0,00
Transport to the end user	A4	0,00	0,00	0,00	0,00	0,00	0,00
Waste treatment	C2-C4	0,00	0,00	0,00	0,00	0,30	0,00
Recycling potential D		33,25	0,00	0,02	0,01	-0,06	-0,01
Total		33,25	0,00	0,10	0,01 0,50 0,00		

Impact contribution



Material o						
Materials	Weight	Share	material	energetic	disposal	[]
Steel	2,617	42,2%	2,565	0,000	0,052	kg
Aluminium						
Other metals	0,037	0,6%	0,036	0,000	0,001	kg
Thermoplastics	0,198	3,2%	0,013	0,165	0,020	kg
Duromer	0,001	0,0%	0,000	0,001	0,000	kg
Elastomer	0,123	2,0%	0,000	0,116	0,007	kg
Laminated plastics						
Wood-Plastic Composites						
Solid wood						
Derived timber product	3,176	51,2%	0,000	3,150	0,025	kg
Paper, -board						
Leather						
Other renewable materials						
Glass						
Other mineral materials						
Laquer and adhesives	0,054	0,9%	0,000	0,048	0,006	kg
Chemicals						
Auxiliaries						
Total	6,206	100,0%	2,614	3,481	0,111	kg

Material composition



The proportion of secondary raw material in this product is 18,9%. It includes 51,2% renewable materials.

Use of laquer and adhesives

Application	Chemical characterisation	Weight ¹	VOC ²	Classific. ³
Wood glues	PVAC glue	0,002 kg	0,0%	no
Hotmelt adhesives	-	-	-	-
Fabric glues	Waterbased dispersion adhesive	0,043 kg	0,0%	no
Fabric glues	Waterbased dispersion adhesive	0,004 kg	0,0%	yes
Assembly adhesives	-	-	-	-
Stains	-	-	-	-
Water-based varnish	Water-based acrylic lacquer	0,077 kg	1,0%	no
Powder coatings	-	-	-	-

The product is free of halogenated plastics (PVC).

¹ dry matter ² uncured

³ acc. EG Reg. No 1272/2008

Material certificates

The following certificates are valid only for the mentioned raw-materials but not for the final product:


Shaped plywood: PEFC Standard - certificate 08.537.958, licence 08.537.958/1 Shaped plywood: FSC Standard - certificate BV-COC-012576, licence FSC-C108331 Upholstery fabric: Oeko-Tex Standard100 - certificate 073313.O, product class II







Recycling rate (EoL)



The chart shows the presently usual recycling rate in Western Europe, based on the used material mix.

The thermal recycling will release energy to the amount of 70 MJ. This is equivalent to 2 litre of light fuel oil.

The remaining ash from the incineration will be disposed of in a landfill.

Publisher and picture credits

Wiesner-Hager Möbel GmbH Linzer Straße 22 A- 4950 Altheim Tel. +43 7723 460 0

eMail: altheim@wiesner-hager.com

https://www.wiesner-hager.com/en/contact/



Certification

TÜV Austria Cert GmbH Krugerstraße 16 1015 Wien Search product certificates





Specialist counselling

Denkstatt GmbH Environmental consulting Hietzinger Hauptstraße 28 1130 Wien

https://denkstatt.eu/?lang=en

