

Working table, acc. to EN 527-1 and 527-2

veron Rectangular work table





# wiesner hager



## **Environmental Product Declaration**

Design: greutmann bolzern

Manufacture	Wiesner-Hager Möbel GmbH
Declaration holde	Linzer Straße 22
	A-4950 Altheim
	Tel. 0043 7723 460-0
	http://www.wiesner-hager.com/en/
EPD numbe	TA 22012 1634 1900T06 03297740170
Declared produc	1900T06 veron
	veron Rectangular work table
Purpos	This declaration was compiled according to ISO 14025 and EN 15804 type B. It
	describes the environmental rating of the listed product and gives the possibility
	to compare it with other similar products.
Data origin	The content of this declaration is based on the results of the operational life cycle
	assessment, according to EN ISO 14040/44 of the fiscal year 2022/23. The used
	generic data comes from acknowledged life cycle management databases and
	current EPD's of the declaration holders upstream products and are calculated
	using the CML method.
	https://www.wiesner-hager.com/en/about-us/sustainability/life-cycle-assessment/
Auditing	The procedure to compile this declaration was audited on 14 th September 2023
	by TÜV Austria GmbH.
Audito	DiplIng. Dr. Jürgen Hain, TÜV Austria GmbH, Wien
Certification	By means of the certificate TA 22012 1634 from 26 th September 2023, TÜV
	Austria GmbH authorizes the declaration holder to generate EPD type III.
	Download certificate
Validit	The certificate is valid until 30 th September 2026. The compliance of the
	requirements will be ensured by annual, internal and external evaluations.
Issue	Gerhard Steigthaler, Master of Sciene, environmental engineer
Date of issue	29. February 2024

- Picture	elaration includes s, descriptions and fulfilled standards		Conter
	ation about life cycle assessment		
	c characteristics of the product configuration		
-	ors of the life cycle and impact assessment		
- Details	on the material composition of the product		
- Informa	ation about material certificates of the used raw materials		
- Recycli	ing potentials		
	essment of the declared product covers the whole lifecycle proce		Investigatio
	materials, manufacturing and disposal, including all transporta		fram
	cipated lifespan of the product is 15 years, assuming the produc		
	ine with the manufacturer's guidance and for the application it w		
	d and intended. As a result of the high product quality, no repairs ected during the lifetime and no environmental impact is anticipat		
	ling is carried out in line with European standards.	ieu.	
-	ent parts are separated and recycled accordingly and any remain	ining	
-	aterial is incinerated under strict controls for the generation of er	-	
	port distances including those of our suppliers and subcontracto		
	sidered; all distances are calculated using route planning softwar		
	ance between the declaration holder and the end user is 500 km		
the aver	age distance between the end user and the waste management		
compan	y is calculated at 50 km.		
The star	ndard EN 15804 describes the basic rules for the preparation of	environ-	Syster
			_
	rnalict applarations for hilliaina materials. Filthitilia are still irrela		houndaria
-	product declarations for building materials. Furniture are still irrele		boundarie
for susta	ainability certifications of buildings, however we try to assign the l	high	boundarie
for susta transpar	ainability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible.The follo	high	boundarie
for susta transpar	ainability certifications of buildings, however we try to assign the l	high	boundarie
for susta transpar lifecycles	ainability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible.The follo	high	boundarie
for susta transpar lifecycles Phase	ninability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document:	high wing relevant	boundarie
for susta transpar lifecycles Phase A1	ainability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document:  Name of lifcycle	high wing	boundarie
for susta transpar lifecycles Phase A1 A2	ninability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document:  Name of lifcycle raw material supply and processing	high wing relevant yes	boundarie
for susta transpar lifecycles Phase A1 A2 A3 A4	ency of this standard to our furniture as far as possible. The follows are considered in this document:  Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site	high wing relevant yes yes	boundarie
for susta transpar lifecycles Phase A1 A2 A3 A4 A4	ency of this standard to our furniture as far as possible. The follows are considered in this document:  Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *)	high wing relevant yes yes yes	boundarie
for susta transpar lifecycles Phase A1 A2 A3 A4 A4 A5	ency of this standard to our furniture as far as possible. The follows are considered in this document:  Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product **)	high wing relevant yes yes yes no	boundarie
for susta transpar lifecycles Phase A1 A2 A3 A4 A4 A5 B1	ency of this standard to our furniture as far as possible. The follows are considered in this document:  Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***)	relevant yes yes yes no yes	boundarie
for susta transpar lifecycles Phase A1 A2 A3 A4 A4 A5 B1 B2	ency of this standard to our furniture as far as possible. The follows are considered in this document:  Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance	relevant yes yes yes no yes yes no no	boundarie
for susta transpar lifecycles Phase A1 A2 A3 A4 A4 A5 B1 B2 B3	ency of this standard to our furniture as far as possible. The follows are considered in this document:  Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair	relevant yes yes yes no yes yes no no	boundarie
for susta transpar lifecycles Phase A1 A2 A3 A4 A4 A5 B1 B2 B3 B4	ency of this standard to our furniture as far as possible. The follows are considered in this document:  Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) use of the product ***) maintenance repair substitute	relevant yes yes yes no yes yes no no no	boundarie
for susta transpar lifecycles Phase A1 A2 A3 A4 A4 A5 B1 B2 B3 B4	ency of this standard to our furniture as far as possible. The follows are considered in this document:  Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) use of the product ***) maintenance repair substitute renovation	relevant yes yes yes no yes yes no no no no	boundarie
for susta transpar lifecycles Phase A1 A2 A3 A4 A5 B1 B2 B3 B4 B5	ency of this standard to our furniture as far as possible. The follows are considered in this document:  Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment	relevant yes yes yes no yes yes no no no no no	boundarie
for susta transpar lifecycles Phase A1 A2 A3 A4 A5 B1 B2 B3 B4 B5 B6 B7	ency of this standard to our furniture as far as possible. The follows are considered in this document:  Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment	relevant yes yes yes no yes yes no no no no no no	boundarie
for susta transpar lifecycles Phase A1 A2 A3 A4 A5 B1 B2 B3 B4 B5 B6 B7	ency of this standard to our furniture as far as possible. The follows are considered in this document:  Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition	relevant yes yes yes no yes yes no no no no no no no	boundarie
for susta transpar lifecycles Phase A1 A2 A3 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1	ency of this standard to our furniture as far as possible. The follows are considered in this document:  Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition transportation to waste treatment	relevant yes yes yes no yes yes no	boundarie
for susta transpar lifecycles Phase A1 A2 A3 A4 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1 C2 C3	ency of this standard to our furniture as far as possible. The follows are considered in this document:  Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition transportation to waste treatment waste treatment	relevant yes yes yes no yes yes no yes yes	boundarie
for susta transpar lifecycles Phase A1 A2 A3 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1 C2 C3 C4	ency of this standard to our furniture as far as possible. The follows are considered in this document:  Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition transportation to waste treatment	relevant yes yes yes no yes yes no	boundarie
for susta transpar lifecycles Phase A1 A2 A3 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1 C2 C3 C4 D	ency of this standard to our furniture as far as possible. The follows are considered in this document:  Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition transportation to waste treatment waste treatment landfilling recycling potential	relevant yes yes yes no yes yes no no no no no no no no yes yes yes yes	boundarie
for susta transpar lifecycles Phase A1 A2 A3 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1 C2 C3 C4 D	ency of this standard to our furniture as far as possible. The follows are considered in this document:  Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition transportation to waste treatment waste treatment landfilling recycling potential	relevant yes yes yes no yes yes no no no no no no no no yes yes yes yes ding materials	boundarie
for susta transpar lifecycles Phase A1 A2 A3 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1 C2 C3 C4 D	Annability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document:  Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition transportation to waste treatment waste treatment landfilling recycling potential  cc. to EN 15804 the modul A4 describes the transport of the build building site, here it stands for the transport of furniture to the er	relevant yes yes yes no yes yes no no no no no no no no yes	boundarie
for susta transpar lifecycles Phase A1 A2 A3 A4 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1 C2 C3 C4 D	ency of this standard to our furniture as far as possible. The follows are considered in this document:  Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition transportation to waste treatment waste treatment landfilling recycling potential	relevant yes yes yes no yes yes no no no no no no no no yes	boundarie

The general information of the LCA refers to whole lifecycle, beginning with the raw	Functional
material make, the manufacturing of the product until the disposal of <i>one</i> unit of the product with an anticipated lifespan of 15 years. But the division of impact factors with the masses of the product allowes also a specific statement in mass.	unit
Working table, acc. to EN 527-1 and 527-2	Application
1900T06 veron veron Rectangular work table	Identification of product
veron offers a variety of four-legged tables for communication areas, which are especially easy to handle and manipulate. The tables can be used as individual tables, standing alone, or arranged into groups of many different configurations. A large variety of shapes offers its users solutions for every event and purpose. As the slim four-legged frame is positioned towards the outer corners of the tables, maximum leg room is guaranteed even at the front of the table. veron also offers special table shapes for standing communication.	Description of product
size of top 80 x 180 cm; table height 62 - 85 cm acc. to EN-standard; table top laminate (MFC); colour of table top D56 white; colour of metal 55 eloxal silver; leg finish plastic glides, adjustable; configuration N	Configuration of


## **Eco-balance indicators**

LCA Indicators		Global	Ozone	Acidifi-	Nutrifi-	Ozone	Abiotic
		warming	depletion	cation	cation	creation	resources
		GWP	ODP	AP	NP	POCP	ADPE
		CO2 eq.	CCI3F eq.	SO2 eq.	PO4-3 eq.	C2H4 eq.	Sb eq.
Lifecycle		(kg)	(mg)	(g)	(g)	(g)	(g)
Raw material make	A1-A3	65,07	0,37	34,39	259,20	29,71	0,70
Transportation	A4	0,70	0,00	-0,54	1,64	0,39	0,00
Internal production	A5	38,24	0,03	-0,07	47,35	10,44	0,38
Sub-contracting	A5	0,00	0,00	0,0	0,00	0,00	0,00
Transport to the end user	A4	1,40	0,00	-1,06	3,21	0,76	0,00
Waste treatment	C2-C4	26,63	0,00	-0,06	1,57	0,36	0,00
Recycling potential D		-75,13	-3,79	-15,32	-176,38	-11,72	0,00
Total		56,92	-3,39	17,34	136,58	29,94	1,08

Use of resources		Abiotic	Primary energ	gy renewable	Primary en	ergy fossil	Use
		fossil	energy	material	energy	material	recycled
		fuels	carrier	use	carrier	use	fibre
		ADPF	PERE	PERM	PENRE	PENRM	SM
Lifecycle		(MJ)	(MJ)	(MJ)	(MJ)	(MJ)	(kg)
Raw material make	A1-A3	1 152,35	276,38	337,37	1 247,81	49,92	8,97
Transportation	A4	9,41	0,56	0,00	9,44	0,00	0,00
Internal production	A5	329,50	177,76	0,68	320,28	4,99	0,03
Sub-contracting	A5	0,00	0,00	0,00	0,00	0,00	0,00
Transport to the end user	A4	18,77	1,13	0,00	18,83	0,00	0,00
Waste treatment	C2-C4	4,45	0,98	-206,83	25,95	-37,81	0,00
Recycling potential D		-728,90	160,08	0,00	-870,11	0,00	0,00
Total		785,58	616,90	131,22	752,21	17,10	9,00


	Recycl	ed fuels	Use		Waste		
Use of resources / waste		renewable	fossil	sweetwater	dangerous	no	radioactive
				resources	waste site	dangerous	waste
		(RSF)	(NRSF)	FW	(HWD)	(NHWD)	(RWD)
Lifecycle		(MJ)	(MJ)	(m³)	(kg)	(kg)	(kg)
Raw material make	A1-A3	25,48	0,00	0,59	0,02	9,62	0,06
Transportation	A4	0,00	0,00	0,00	0,00	0,00	0,00
Internal production	A5	0,00	0,00	0,28	0,00	0,37	0,00
Sub-contracting	A5	0,00	0,00	0,00	0,00	0,00	0,00
Transport to the end user	A4	0,00	0,00	0,00	0,00	0,00	0,00
Waste treatment	C2-C4	0,00	0,00	0,01	0,00	1,91	0,00
Recycling potential D		216,59	0,00	-0,13	0,07	-7,06	-0,07
Total		242,07	0,00	0,74	0,08	4,84	-0,02

## Impact contribution



Material o		content				
Materials	Weight	Share	material	energetic	disposal	[]
Steel	17,188	45,7%	16,845	0,000	0,344	kg
Aluminium	3,401	9,0%	3,333	0,000	0,068	kg
Other metals						
Thermoplastics	0,402	1,1%	0,027	0,335	0,040	kg
Duromer						
Elastomer						
Laminated plastics						
Wood-Plastic Composites						
Solid wood						
Derived timber product	16,254	43,3%	0,000	16,010	0,244	kg
Paper, -board						
Leather						
Other renewable materials						
Glass						
Other mineral materials						
Laquer and adhesives	0,335	0,9%	0,000	0,299	0,036	kg
Chemicals						
Auxiliaries						
Total	37,581	100,0%	20,204	16,644	0,732	kg

## **Material composition**



The proportion of secondary raw material in this product is 38,3%. It includes 43,3% renewable materials.

### Use of laquer and adhesives

Application	Chemical characterisation	Weight <sup>1</sup>	VOC <sup>2</sup>	Classific.3
Wood glues	-	-	-	-
Hotmelt adhesives	-	-	-	-
Fabric glues	-	-	-	-
Assembly adhesives	Instant adhesive	0,00015 kg	3,0%	yes
Stains	-	-	-	-
Water-based varnish	-	-	-	-
Powder coatings	Polyester powder lacquer	0,335 kg	0,0%	yes
Solvent-based varnis	-	-	-	-

The product includes 0,004 kg of PVC.


 $$^{1}\,\mbox{dry}$  matter  $$^{2}\,\mbox{uncured}$$  acc. EG Reg. No 1272/2008

The following certificates are valid only for the mentioned raw-materials but not for the final product:

Decorative chipboard: FSC Standard - certificate SGSCH-COC-110039, licence FSC-C017963



### Recycling rate (EoL)



The chart shows the presently usual recycling rate in Western Europe, based on the used material mix.

The thermal recycling will release energy to the amount of 296 MJ. This is equivalent to 8,2 litre of light fuel oil.

The remaining ash from the incineration will be disposed of in a landfill.

### Publisher and picture credits

Wiesner-Hager Möbel GmbH Linzer Straße 22 A- 4950 Altheim Tel. +43 7723 460 0

eMail: altheim@wiesner-hager.com

https://www.wiesner-hager.com/en/contact/



#### Certification

TÜV Austria Cert GmbH Krugerstraße 16 1015 Wien Search product certificates





#### Specialist counselling

Denkstatt GmbH Environmental consulting Hietzinger Hauptstraße 28 1130 Wien

https://denkstatt.eu/?lang=en

