



*In just 2 weeks  
ex works.*

Sit comfortably.

**Fast track programme**

# lead time: 2 weeks ex works.

## paro\_2 office swivel chairs.



Swivel chair	Swivel chair with high backrest	Cantilever chair
5220-101A assembled 5220-501A flat-pack*	5222-101A assembled 5222-501A flat-pack*	6232-101A assembled



Swivel chair	Swivel chair with high backrest	Cantilever chair
5224-103A assembled 5224-503A flat-pack*	5226-103A assembled 5226-503A flat-pack*	6234-103A assembled



Cantilever chair
6236-203A assembled

### Specification options:

black plastic or aluminium polished swivel base. Either soft castors for hard floors or hard castors for soft floors.

Cantilever: precision tubular steel frame, powder-coated (55 eloxal silver) or chrome metal surfaces, optionally with plastic glides or felt glides.

### Arm options (surcharges apply):

#### Height-adjustable arms:

adjustable in height and width, with soft arm pads. Arm supports either black plastic or polished aluminium.

#### Multifunctional arms:

swivelling, soft arm pads, adjustable in height, width and depth. Arm supports either black plastic or polished aluminium.

### Functions:

synchro-mechanism with lateral tension control (from 40 to 120 kg), lockable in several positions. Seat height adjustment via gas spring acc. to DIN 4550 and depth suspension. Seat depth adjustment via sliding seat (range of adjustment: 50 mm). Height-adjustable backrest (range of adjustment: 50 mm).

### Upholstery:

Swivel chair:

seat upholstery fabric *radio*. Back either covered with black mesh or upholstered: backrest analogous to the seat upholstery (*radio* S3140: rear of backrest fabric Trevira CS black).

Cantilever chair:

seat upholstery fabric *radio* black S3140. Back either covered with black mesh or upholstered in black.



mesh



radio S3140



radio S3154



radio S3143

### \*Ready to go.

On request, *paro\_2* is delivered flat-packed: this saves space on shipping and saves the environment. Chairs are quick and easy to assemble.



## poi office swivel chairs.



Swivel chair with height-adjustable arms

5431-101A assembled

Swivel chair with multifunctional arms

5433-101A assembled

*poi* represents a completely new generation of swivel chairs: the perfect combination of aesthetics, comfort and well-engineered ergonomics makes *poi* both unique and economically attractive. The characteristic feature of *poi* is the elegant monocoque design. The ergonomic and dynamic back frame in black or white is covered with a semi-transparent net mesh.

### Specification options:

black plastic or aluminium polished swivel base. Braked twin wheel castors Ø 60 mm either with hard running surface for soft floors or soft running surface for hard floors. Black plastic operating elements and arms. Seat and frame construction of backrest black or white polyamide.

### Arms:

#### Height-adjustable arms:

adjustable in height and width, with soft arm pads. Arm supports black plastic.

#### Multifunctional arms:

swivelling pads, adjustable in height, width and depth, with soft arm pads. Polished aluminium arm support.

### Functions:

seat and backrest inclination can be fixed in several positions via synchro-mechanism. Quick tension spring adjustment from 45 to 120 kg with only two and a half turns of the lateral hand-wheel. Adjustment of seat depth via sliding seat. Infinitely variable seat height adjustment via gas spring type-tested acc. to DIN 4550 and depth suspension.

### Against surcharge:

adjustable lumbar support.

### Upholstery:

seat upholstery fabric *radio* black S3140, back with black mesh 210.



radio S3140



210 black



reddot design award  
winner 2013



## *point* office swivel chair.



Swivel chair with height-adjustable arms

5420-101A assembled



Cantilever

6240-101A assembled

### **Specification options:**

powder-coated aluminium fivestar swivel base. Braked twin wheel castors either with hard running surface for soft floors or soft running surface for hard floors. Cantilever: precision tubular steel frame, powder-coated metal surfaces (55 eloxal silver), optionally with plastic glides or felt glides.

### **Arms:**

Aluminium armrest support and backrest profile, powder-coated backrest frame (55 eloxal silver). Black plastic operating elements.

### **Functions:**

patented synchronic adjustment of depth of seat and height of backrest; height adjustable arms; synchronic mechanism with tension spring adjustment, can be fixed in several positions. Seat height adjustable with gas lift acc. to DIN 4550, depth suspension.

### **Upholstery:**

seat upholstery fabric *radio* black S3140, back with black mesh.



*radio* S3140

## *nooi* conference chair.



conference chair

6630-503A flat-pack

### Specification options:

aluminium die-cast four-star frame, polished or powder-coated. Braked dual castors Ø 50 mm optionally with hard running surface for soft floors or soft running surface for hard floors. Arms in tubular steel, powder-coated or in chrome (for polished frames). Polypropylene seat shell, fully upholstered.

### Frame & Arms:



8 polished  
aluminium /  
chrome



38M anthracite



9002 grey white

### Upholstery variants:



S4712 roccia



S4713 roccia



S4720 roccia



## *pulse lounge & conference chair.*



### Lounge chair

6274-203A assembled  
6274-503A flat-pack

### Conference chair

6276-203A assembled  
6276-503A flat-pack

### Specification options:

#### Lounge chair 6274:

four-legged frame of precision tubular steel Ø 18 mm, plastic glides. Powder-coated or chrome-plated metal surfaces. Fully upholstered seat shell.

#### Conference chair 6276:

aluminium die-cast four-star frame, mpolished or powder-coated, plastic glides. Fully upholstered seat shell.

### Frame:



7 polished aluminium  
(model 6276)  
4 chrome  
(model 6274)



38M anthracite



9002 grey white

### Upholstery variants:



S5550 tempt



S5554 tempt



S5551 tempt

# yuno stacking table.



Stacking table 3940-624A flat-pack 600 x 1200 mm	Stacking table 3940-728A flat-pack 700 x 1400 mm	L-panel 9550-972A flat-pack 650 x 530 mm
--------------------------------------------------------	--------------------------------------------------------	------------------------------------------------

## Specification options:

### Table tops:

laminates (MFC) with seamless, moisture-resistant laser edge (ABS edge).

### Frame:

Legs and cross beam tubular steel. Joints and table top support die-cast aluminium. Surface finish of cross beam and table top support is same as on legs. If chrome legs are specified, cross beam and table top support are black powder-coated. Plastic glides with castors, black.

Cross-section: leg 50/20 mm, cross beam 30/15 mm.

Powder-coated or chrome-plated metal surfaces.

### L-panel (optional):

Carrier plate of laminates (MFC) with fabric-covered panel, inside can be used as pinboard.

### Frame:



4 chrome



38M anthracite



9002 grey white

### Table top:



D58 pebble grey



D60 stone grey



D74 light acacia

### L-panel:



S5551 tempt



For prices please refer to the currently valid price list or ask your regional Wiesner-Hager contact. Usually lead time is 2 weeks ex works. For larger quantities, please consult your regional Wiesner-Hager contact. Orders are subject to Wiesner-Hager's general terms and conditions of sale and delivery. We reserve the right to make alterations.

A-4950 Altheim  
Linzer Strasse 22  
T +43 (7723) 460-0  
altheim@wiesner-hager.com

D-97080 Würzburg  
Schürerstrasse 3  
T +49 (931) 3 55 85-0  
wuerzburg@wiesner-hager.com

NL-6101 XB Echt  
Nobelweg 17  
T +31 (475) 41 02 22  
benelux@wiesner-hager.com

F-67201 Eckbolsheim  
13, rue Ettore Bugatti  
T +33 (3) 88 59 90 90  
F +33 (3) 88 59 90 89  
france@wiesner-hager.com

UK: Wiesner-Hager Ltd.  
london@wiesner-hager.com

CZ-150 00 Praha 5  
Drtinova 557/10  
T +420 271 730 444  
praha@wiesner-hager.com

Certified acc. to:  
ISO 9001, ISO 14001  
and ISO 14025