

Seating for public areas, acc. to EN 16139, EN 1022 and EN 1728

point2 Cantilever chair with arms





wiesner hager



Environmental Product Declaration

EPD

Design: M. Ballendat

iesner-Hager Möbel GmbH	Manufacturer
nzer Straße 22	Declaration holder
4950 Altheim	
el. 0043 7723 460-0	
tp://www.wiesner-hager.com/en/	
A 22012 1634 6240-101 03297740640	EPD number
240-101 point	Declared product
oint2 Cantilever chair with arms	
nis declaration was compiled according to ISO 14025 and EN 15804 type B. It escribes the environmental rating of the listed product and gives the possibility compare it with other similar products.	Purpose
ne content of this declaration is based on the results of the operational life cycle assessment, according to EN ISO 14040/44 of the fiscal year 2022/23. The used reneric data comes from acknowledged life cycle management databases and arrent EPD's of the declaration holders upstream products and are calculated sing the CML method. tps://www.wiesner-hager.com/en/about-us/sustainability/life-cycle-assessment/	Data origin
ne procedure to compile this declaration was audited on 14 th September 2023 TÜV Austria GmbH.	Auditing
plIng. Dr. Jürgen Hain, TÜV Austria GmbH, Wien	Auditor
w means of the certificate TA 22012 1634 from 26 th September 2023, TÜV ustria GmbH authorizes the declaration holder to generate EPD type III.	Certification
ne certificate is valid until 30 th September 2026. The compliance of the quirements will be ensured by annual, internal and external evaluations.	Validity
erhard Steigthaler, Master of Sciene, environmental engineer	Issuer
9. February 2024	Date of issue

- Picture	laration includes s, descriptions and fulfilled standards		Conten
	ation about life cycle assessment		
	c characteristics of the product configuration		
-	ors of the life cycle and impact assessment		
- Details	on the material composition of the product		
- Informa	ation about material certificates of the used raw materials		
- Recycli	ing potentials		
	essment of the declared product covers the whole lifecycle proce		Investigatio
	materials, manufacturing and disposal, including all transporta		fram
	cipated lifespan of the product is 15 years, assuming the product		
	ine with the manufacturer's guidance and for the application it was		
	d and intended. As a result of the high product quality, no repairs acted during the lifetime and no environmental impact is anticipat		
	ling is carried out in line with European standards.	.eu.	
-	ent parts are separated and recycled accordingly and any remai	ning	
-	aterial is incinerated under strict controls for the generation of er	-	
	port distances including those of our suppliers and subcontractor	••	
-	idered; all distances are calculated using route planning softwar		
	ance between the declaration holder and the end user is 500 km		
the aver	age distance between the end user and the waste management		
company	y is calculated at 50 km.		
The stan	dard EN 15804 describes the basic rules for the preparation of	anviron-	Syste
			boundarie
mantal n	iroduct declarations for huilding materials. Furniture are still irrela		
-	product declarations for building materials. Furniture are still irrele		boundarie
for susta	inability certifications of buildings, however we try to assign the I	nigh	boundarie
for susta transpar	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follow	nigh	boundarie
for susta transpar	inability certifications of buildings, however we try to assign the I	nigh	boundarie
for susta transpare lifecycles	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follow	nigh	boundarie
for susta transpar lifecycles Phase	unability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document:	nigh wing relevant	boundarie
for susta transpare lifecycles Phase A1	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle	nigh wing	boundarie
for susta transpard lifecycles Phase A1 A2	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing	relevant yes	boundarie
for susta transpar	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products	relevant yes yes	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4	ency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products	relevant yes yes yes	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A4 A5	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product **)	relevant yes yes yes no	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A4 A5 B1	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *)	relevant yes yes yes no yes	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A4 A5 B1 B2	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance	relevant yes yes yes no yes yes yes	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A4 A5 B1 B2 B3	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair	relevant yes yes yes no yes yes no no no	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A4 A5 B1 B2 B3 B4	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute	relevant yes yes yes no yes yes no no no no	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A4 A5 B1 B2 B3 B4	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation	relevant yes yes yes no yes yes no no no no	boundarie
for susta transpare lifecycles Phase A1 A2 A3 A4 A4 A5 B1 B2 B3 B4 B5	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment	relevant yes yes yes no yes yes no no no no no	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A4 A5 B1 B2 B3 B4 B5 B6 B7	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment	relevant yes yes yes no yes yes no no no no no no no	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A5 B1 B2 B3 B4 B5 B6 B7	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition	relevant yes yes yes no yes yes no no no no no no no no	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition transportation to waste treatment	relevant yes yes yes no yes yes no	boundarie
for susta transpare lifecycles Phase A1 A2 A3 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1 C2 C3	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition transportation to waste treatment waste treatment	relevant yes yes yes no yes yes no yes yes	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1 C2 C3 C4	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition transportation to waste treatment	relevant yes yes yes no yes yes no	Doundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1 C2 C3 C4 D	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition transportation to waste treatment waste treatment landfilling recycling potential	relevant yes yes yes no yes yes no no no no no no no no no yes yes yes yes yes	boundarie
for susta transpard lifecycles Phase A1 A2 A3 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1 C2 C3 C4 D	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition transportation to waste treatment waste treatment landfilling recycling potential	relevant yes yes yes no yes yes no no no no no no no no no yes yes yes yes yes yes	boundarie
for susta transpare lifecycles Phase A1 A2 A3 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1 C2 C3 C4 D	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition transportation to waste treatment waste treatment landfilling recycling potential cc. to EN 15804 the modul A4 describes the transport of the build building site, here it stands for the transport of furniture to the er	relevant yes yes yes no yes yes no yes	Doundarie
for susta transpare lifecycles Phase A1 A2 A3 A4 A4 A5 B1 B2 B3 B4 B5 B6 B7 C1 C2 C3 C4 D	inability certifications of buildings, however we try to assign the lency of this standard to our furniture as far as possible. The follows are considered in this document: Name of lifcycle raw material supply and processing transportation to the manufacturer of precursor products production of precursor products transportation to building site transportation of the product to the end user *) manufacturing of the product ***) use of the product ***) maintenance repair substitute renovation energy consumption for technical building equipment water consumption for technical building equipment demolition transportation to waste treatment waste treatment landfilling recycling potential	relevant yes yes yes no yes yes no no no no no no no no no ses yes yes yes yes yes yes yes yes yes	Doundarie

The general information of the LCA refers to whole lifecycle, beginning with the raw material make, the manufacturing of the product until the disposal of <i>one</i> unit of the product with an anticipated lifespan of 15 years. But the division of impact factors with the masses of the product allowes also a specific statement in mass.	Functional unit
Seating for public areas, acc. to EN 16139, EN 1022 and EN 1728	Application
6240-101 point point2 Cantilever chair with arms, seat upholstered, back with black mesh	Identification of product
Its high quality upholstery and light, slender mesh back, ergonomic shape and flexibility of the frame make the cantilever chair from the point chair range particularly suitable as visitor#s chairs in offices as well as conference and meeting room chairs. As it is stackable, it is perfect for applications in conference and multi-purpose areas.	Description of product
cover 1 fabric S3140 plain black; colour of metal 55 eloxal silver; leg finish plastic glides	Configuration of


Eco-balance indicators

		Global	Ozone	Acidifi-	Nutrifi-	Ozone	Abiotic
LCA Indicators		warming	depletion	cation	cation	creation	resources
		GWP	ODP	AP	NP	POCP	ADPE
		CO2 eq.	CCI3F eq.	SO2 eq.	PO4-3 eq.	C2H4 eq.	Sb eq.
Lifecycle		(kg)	(mg)	(g)	(g)	(g)	(g)
Raw material make	A1-A3	33,07	0,01	9,40	75,40	8,03	1,32
Transportation	A4	0,55	0,00	-0,41	1,24	0,30	0,00
Internal production	A5	8,76	0,01	0,06	12,42	2,32	0,08
Sub-contracting	A5	0,00	0,00	0,0	0,00	0,00	0,00
Transport to the end user	A4	0,42	0,00	-0,31	0,95	0,23	0,00
Waste treatment	C2-C4	3,01	0,00	-0,02	0,50	0,11	0,00
Recycling potential	D	-18,13	-0,20	-4,66	-43,49	-3,34	0,00
Total		27,67	-0,18	4,07	47,02	7,64	1,40

Use of resources		Abiotic	Primary energ	Primary energy renewable Prima		ergy fossil	Use
		fossil	energy	material	energy	material	recycled
Ose of resources		fuels	carrier	use	carrier	use	fibre
		ADPF	PERE	PERM	PENRE	PENRM	SM
Lifecycle		(MJ)	(MJ)	(MJ)	(MJ)	(MJ)	(kg)
Raw material make	A1-A3	417,83	88,93	21,57	399,09	46,14	1,77
Transportation	A4	7,28	0,44	0,00	7,31	0,00	0,00
Internal production	A5	113,02	61,00	0,14	111,72	1,24	0,01
Sub-contracting	A5	0,00	0,00	0,00	0,00	0,00	0,00
Transport to the end user	A4	5,57	0,33	0,00	5,59	0,00	0,00
Waste treatment	C2-C4	1,15	0,19	-20,13	42,17	-42,27	0,00
Recycling potential D		-159,69	8,79	0,00	-168,94	0,00	0,00
Total		385,16	159,69	1,58	396,94	5,11	1,78


Use of resources / waste		Recycled fuels		Use	Waste		
		renewable	fossil	sweetwater	dangerous	no	radioactive
				resources	waste site	dangerous	waste
		(RSF)	(NRSF)	FW	(HWD)	(NHWD)	(RWD)
Lifecycle		(MJ)	(MJ)	(m³)	(kg)	(kg)	(kg)
Raw material make	A1-A3	0,00	0,00	0,11	0,00	1,66	0,01
Transportation	A4	0,00	0,00	0,00	0,00	0,00	0,00
Internal production	A5	0,00	0,00	0,08	0,00	0,11	0,00
Sub-contracting	A5	0,00	0,00	0,00	0,00	0,00	0,00
Transport to the end user	A4	0,00	0,00	0,00	0,00	0,00	0,00
Waste treatment	C2-C4	0,00	0,00	0,00	0,00	0,79	0,00
Recycling potential D		10,93	0,00	-0,04	0,00	-1,14	-0,01
Total		10,93	0,00	0,15	0,00	1,42	0,01

Impact contribution



Material o		Recycling content				
Materials	Weight	Share	material	energetic	disposal	[]
Steel	7,691	70,0%	7,537	0,000	0,154	kg
Aluminium	0,495	4,5%	0,485	0,000	0,010	kg
Other metals						
Thermoplastics	0,495	4,5%	0,033	0,413	0,050	kg
Duromer						
Elastomer	0,795	7,2%	0,000	0,750	0,045	kg
Laminated plastics						
Wood-Plastic Composites						
Solid wood						
Derived timber product	1,400	12,7%	0,000	1,389	0,011	kg
Paper, -board	0,001	0,0%	0,001	0,000	0,000	kg
Leather						
Other renewable materials						
Glass						
Other mineral materials						
Laquer and adhesives	0,110	1,0%	0,000	0,098	0,012	kg
Chemicals						
Auxiliaries						
Total	10,988	100,0%	8,056	2,650	0,282	kg

Material composition



The proportion of secondary raw material in this product is 33,8%. It includes 12,8% renewable materials.

Use of laquer and adhesives

Application	Chemical characterisation	Weight ¹	VOC ²	Classific.3
Wood glues	-	-	-	-
Hotmelt adhesives	-	-	-	-
Fabric glues	Hot-melt adhesive	0,05 kg	25,2%	yes
Assembly adhesives	Instant adhesive	0,0002 kg	3,0%	no
Stains	-	-	-	-
Water-based varnish	-	-	-	-
Powder coatings	Polyester powder lacquer	0,01 kg	0,0%	no
Powder coatings	Polyester powder lacquer	0,08 kg	0,0%	yes

The product is free of halogenated plastics (PVC).

 $1\,dry$ matter $2\,uncured$ 3 acc. EG Reg. No 1272/2008

Material certificates


The following certificates are valid only for the mentioned raw-materials but not for the final product:

Shaped plywood: FSC Standard - certificate SGS-COC-009712, licence FSC-C114473 Upholstery fabric: Oeko-Tex Standard100 - certificate 073313.O, product class II Upholstery materials: Oeko-Tex Standard100 - certificate 12.0.03665, product class I





Recycling rate (EoL)



The chart shows the presently usual recycling rate in Western Europe, based on the used material mix.

The thermal recycling will release energy to the amount of 57 MJ. This is equivalent to 1,6 litre of light fuel oil.

The remaining ash from the incineration will be disposed of in a landfill.

Publisher and picture credits

Wiesner-Hager Möbel GmbH Linzer Straße 22 A- 4950 Altheim Tel. +43 7723 460 0

eMail: altheim@wiesner-hager.com

https://www.wiesner-hager.com/en/contact/



Certification

TÜV Austria Cert GmbH Krugerstraße 16 1015 Wien Search product certificates





Specialist counselling

Denkstatt GmbH Environmental consulting Hietzinger Hauptstraße 28 1130 Wien

https://denkstatt.eu/?lang=en

