



float\_fx



## float\_fx. Storage & zoning.

Functional, economical, and extremely adaptable – *float\_fx* provides the ideal storage space solution for all office areas. Its cabinet depth of 425 mm means that available office space is optimally utilised. Thanks to attractive rear panels the cabinets can be deployed anywhere in the room – providing storage space and zoning in one. Fabric rear panels (optional) improve room acoustics, can be used as pinboards, and add colour accents to the office. *float\_fx* stands for quality down to the minutest detail. The top-quality fittings and drawer runners by Hettich® ensure the smooth, safe and maintenance-free function of all the moving parts.







# float\_fx pedestals with & without castors.

*float\_fx* pedestals for a personal storage capacity at the workstation are easy, functional, safe and flexible in their features. The reduced design enables a combination with any furnishing style; a choice of various surfaces offers room for individual design variants. Every single detail of the *float\_fx* pedestal reflects the product's high quality standard. For example, it

features a new locking double castor that can carry a load of 70 kilos. The drawer runners by the renowned manufacturer Hettich® work on the ball bearing principle and guarantee a high load capacity and exact, smooth sliding action; softened drawer stops stand for high comfort every time the drawers are opened. The differentiated comfort package of *float\_fx*

pedestals offers a choice between various product features: from the variant *trend* up to the variant *comfort* with an integrated Silent® automatic return system with soft stop. *comfort* and *trend* – both variants, each in its very own way, embody the leading standards of quality, design and user comfort.

Rich in detail.



Optional.

Mobile pedestal	Mobile pedestal	Mobile pedestal	Mobile pedestal
Depth 600 W 430 / H 600 10 high, 1/3/3/3 high	Depth 600 W 430 / H 600 10 high, 1/3/6 high	Depth 800 W 430 / H 600 10 high, 1/3/3/3 high	Depth 800 W 430 / H 600 10 high, 1/3/6 high

Side pedestal without castors	Side pedestal without castors	All front designs also with handles
Depth 800 or 600 W 430 / H 740 12,5 high, 1/2,5/3/3/3 high	Depth 800 or 600 W 430 / H 740 12,5 high, 1/2,5/3/6 high	Alternative handle shapes: profile handle, strap handle, bow handle and shell handle.

W = width / H = height , 1 high = 50 mm / dimensions in mm  
All dimensions specified are available in the variants *trend* and *comfort*.



Design:

**Front:** choice of laminate (MFC) with ABS laser edge, veneers with applied wood edge.  
**Body:** top, sides and back, choice of laminate (MFC) with ABS laser edge, veneers with applied wood edge.  
**Bottom shelf laminate (MFC) with ABS laser edge:** if sides are in decorative laminate, bottom shelf is in the same colour as the sides, if sides are veneered, bottom shelf is in pastel grey D22.  
**Seat upholstery:** optional for pedestals 600 mm in height.  
**Tilt resistance:** anti-tilt locking mechanism for all pedestals, additional counterweight for pedestals with suspension filing system.

**Variant *trend*:**  
Drawers with automatic return, drawer box plastic for depth 600 mm, sheet steel for depth 800 mm. Pen tray 25 mm high.  
**Variant *comfort*:**  
Drawers with Silent® automatic return system with soft stop, drawer boxes sheet steel, pen tray 40 mm high.



# float\_fx trolleys.

Wherever mobile storage space is required, *float\_fx* trolleys offer valuable services. Castors and grab handles ensure mobility, they are easily moved to wherever they are needed. The worktop version can also be used as a temporary standing height workstation or as an informal meeting point. *float\_fx trolleys* offer plenty of storage space while taking up little room. Depending on the

model, they can be equipped with up to five drawers and a pen tray in variable modular design. The Hettich® drawer runners on ball bearings provide for maximum ease of use. In short: *float\_fx trolleys* stand for economic efficiency in the office – great benefit for comparatively low capital expenditure.



# Rich in detail.

Suspension filing system A4 with 105 % roll-out stop and plug-in suspension filing frame.



Combination of internals as illustrated by a trolley with cross-tambour.



Fold-out coat hanger, optional for all trolleys with cross-tambour.



Worktop with hinged sides for trolley 530 mm in width.



Drawer with automatic return and individual anti-tilt locking mechanism.



Grip handle for effortless moving of trolleys.



# Optional.



Trolley with cross-tambour  
W 530 / D 480 / H 1100  
2 shelves



Trolley with cross-tambour  
W 530 / D 480 / H 1123  
2 shelves  
With hinged worktop



Trolley with cross-tambour  
W 750 / D 480 / H 1100  
2 shelves



Trolley for 19-inch media equipment  
W 590 / D 600 / H 1100  
Vertical tambour front, without interior equipment, round cable grommet in upper and lower shelf

W= width / D = depth / H = total height / dimensions in mm

## Design:

**Front:** cross tambour polypropylene, coated in matt silver or white, slat thickness 12 mm, slat width 26,5 mm. Handle strip of plastic, silver or white, with lock.  
**Body:** choice of laminate (MFC) with ABS laser edge, veneers with applied wood edge.

**Trolley 530 and 750 mm with cross-tambour front:** shelves and centre partition laminate (MFC) with ABS laser edge: If sides are in decorative laminate, shelves and central partition are in the same colour as the sides; if the sides are veneered, shelves and central partition are in pastel grey D22. Shelf supports height adjustable, screwed, max. load capacity 20 kg.

**Worktop:** choice of laminate (MFC) with ABS laser edge, veneers with applied wood edge.  
**Castors:** 4 lockable dual-wheel castors, plastic with soft running surface. Castor runners: sheet steel, each with 2 castor holding fixtures, plastic corner protection on all sides.

**Trolley for 19-inch media technology 590 mm with vertical tambour front:** Slat width 30 mm. Handle strip of aluminium, silver, with lock. Without internal fittings, to accommodate 19-inch media technology. Other designs as above.



## float\_fx cabinets.

The *float\_fx* cabinet series offers a wide range of cabinet types geared to different requirements: open-fronted cabinets, cabinets with hinged doors, sliding doors, cross-tambour doors and vertical tambour doors. Based on a standard cabinet depth of 425 mm, the system measurements are adapted to standard frame widths in file heights of two to six. Cabinets with sliding doors and lockers are also available with a depth of 600 mm. Side cabinets with a table height of 740 mm as well as stacking elements complete the series.







**Fabric rear panel.**  
Optional for cabinets up to a height of four high and stacking elements 1 high: fabric back that can be used as a pinboard.



#### Attractive rear panels.

All *float\_fx* cabinets are provided with attractive rear panels, allowing for them to be placed free-standing in the room so that they act at the same time as partitions. On request, rear panels are available covered with fabric so they can be used as pinboards. The wide choice of fabrics provides many options for adding colour accents to the office architecture. In terms of interior fittings, *float\_fx* is extremely flexible. Shelves, drawers and suspension filing systems can be positioned according to individual requirements. Top quality drawers by Hettich® ensure smooth and easy function. The tilt resistance of the cabinets is safeguarded by a general anti-tilt locking mechanism, by special assembly kits for wall mounting and/or by counterweights.

#### Pull-out cabinet.

The pull-out cabinet offers storage space with direct access right at the workplace. The interior can be configured flexibly. This clever storage unit can also be used as a room divider, and, at a height of 1100 mm, it creates a stand-up meeting point for easy communication and collaborative working.






# Rich in detail.



## Extension shelf.

On request an extension shelf can be mounted on the shelf at fourth file level.



## Locker (depth 425 mm).

Interior fittings of the locker with hat rack, pull-out coat hanger and mirror (optional).




## Suspension filing system.

The Quadro Duplex 50 roll-out stop 105 % by Hettich® provides easy access to the suspension filing system. Easy operation and tilt resistance are ensured by the automatic return and individual anti-tilt locking mechanisms.



## Drawers.

The drawers are made of sheet steel and are also equipped with 105 % roll-out stop, automatic return and individual anti-tilt locking mechanisms.



## Handles.

Different handle shapes are available depending on the model (see price list): profile handle, strap handle, bow handle, shell handle, and rotary olive handle.



## Interior fittings.

Interior fittings are available as an option. The pull-out cabinet is available e.g. with organisation panel with pinboard, private drawer, suspension filing system or pen tray.

# Optional.



## Design:

**Front:** choice of laminate (MFC) with ABS laser edge, veneers with applied wood edge.

**Tambour:** polypropylene, coated in matt silver, 12 mm thick.

**Body:** top and bottom shelves and/or sides: choice of laminate (MFC) with ABS laser edge, veneers with applied wood edge.

**Rear panel:** choice of laminate (MFC), veneers. Exterior of back always fitted out as decorative rear panel. Optional: fabric rear panel, usable as a pinboard (possible for cabinets up to 4 high and stacking cabinets 1 high).

**Shelves:** insertable safety shelf supports, height-adjustable.

**For open-fronted cabinets:** choice of laminate (MFC) with front ABS laser edge, veneers with applied wood front edge.

**For closed-front cabinets:** shelves laminate (MFC) with front ABS laser edge. If sides are in decorative laminate, shelves are in the same colour as the sides, if sides are veneered, shelves are pastel grey D22.

**Steel shelves:** RAL 7035 light grey.

**Extension shelf:** for cabinets 4 file levels or higher. Finishing in the colour of the shelf. Mounted below the shelf at 4-file level.

## Leg finish:

**Cabinets:** glides metal, height-adjustable up to 15 mm. Optional: plinth sheet steel, powder-coated acc. to colour code book, height 40 mm, height-adjustable up to 15 mm. Optionally all sides or individual sides.

**Side cabinets:** glides black plastic, height-adjustable up to 8 mm.

**Drawers (can be retrofitted):** Hettich® Systema TOP 2000 Drawer box (for drawer and suspension filing system) black-coated steel sheet, drawer: Quadro Duplex 50 roll-out stop 105 %, automatic return and individual anti-tilt locking mechanism.


**Suspension filing system:** suspension filing frame black-coated steel, Quadro Duplex 50 roll-out stop 105 %. Automatic return and individual anti-tilt locking mechanism.

**Locking system:** master locking system, replaceable barrels with 40 different locks.

**Safeguard against tilting:** anti-tilt locking mechanism in all cabinets with drawers, wall-mounting, or optionally bolting back to back. Relevant safety instructions are delivered together with each cabinet.

# Optional.


## Cabinets with open front



Note: With plinth height + 30 mm.

Note: Height is equal to table height.

## Cabinets with sliding doors




Note: With plinth height + 30 mm.

Note: Height is equal to table height.

## Cabinets with hinged doors and lockers



## Cabinets with cross-tambour doors



Dimensions in mm



# Optional.


## Cabinets with vertical tambour doors



Depth 425

6 OH (2190)

5 OH (1840)



800

Note: With plinth height + 30 mm.


## Suspension file cabinet



Depth 425

3 OH (1100)

2 OH (750)



800

1000

Depth 600

3 OH (1100)

2 OH (750)



800


1000

## Pull-out cabinet

### Interior equipment (against surcharge):



3<sup>rd</sup> level:  
orga panel with pinboard



2<sup>nd</sup> level:  
personal effects compartment and pen tray




1<sup>st</sup> level:  
suspension filing



Pull-out cabinet left



Pull-out cabinet right



## Stacking cabinets with open front




Depth 425

4 OH (1440)

3 OH (1090)

2 OH (740)


1 OH (350)



500

800

1000



1200

1600

Dimensions in mm

## Perfect Partners.



*paro\_2*



*foxx*



*etio*

A-4950 Altheim  
Linzer Strasse 22  
T +43 (7723) 460-0  
altheim@wiesner-hager.com

D-97080 Würzburg  
Schürerstrasse 3  
T +49 (931) 3 55 85-0  
wuerzburg@wiesner-hager.com

NL-6101 XB Echt  
Nobelweg 17  
T +31 (475) 41 02 22  
benelux@wiesner-hager.com

F-67201 Eckbolsheim  
13, rue Ettore Bugatti  
T +33 (3) 88 59 90 90  
F +33 (3) 88 59 90 89  
france@wiesner-hager.com

UK: Wiesner-Hager Ltd.  
london@wiesner-hager.com

CZ-150 00 Praha 5  
Drtinova 557/10  
T +420 271 730 444  
praha@wiesner-hager.com

Certified acc. to:  
ISO 9001, ISO 14001  
and ISO 14025

