


24/7 support for your office.

In call centres, control rooms and in multishift operation, workplaces are occupied 24 hours a day, 7 days a week. Swivel chairs in continuous operation are subjected to above-average wear. With paro_24/7 Wiesner-Hager has developed a swivel chair specifically for round-the-clock use. Moreover, thanks to a range of particularly hardwearing fabrics and its robust mechanics the chair has a loadbearing capacity of up to 150 kg. However the typical look of the paro_2 product family remains unchanged. The paro_24/7 is simple to operate, making it particularly user-friendly.

Design: neunzig° design









Adjusting the infinitely variable seat height. The seat height is infinitely adjustable by means of a gas spring compliant with DIN 4550 and depth suspension.

Arm options.

The chair can be supplied with height and width adjustable arms or multifunctional arms, which are additionally adjustable in depth and have swivelling armpads.



Optional.







- 5221-101 assembled

- seat upholstered, back with mesh H 960-1135 / SH 415-530 / W/D 770

Swivel chair with high backrest

- 5223-101 assembled

- seat upholstered, back with mesh H 1070-1245 / SH 415-530 / W/D 770

- 5223-101 assembled

- seat upholstered, back with mesh

H 1270-1490 / SH 415-530 / W/D 770







- 5225-103 assembled - seat and back upholstered H 960-1135 / SH 415-530 / W/D 770

Swivel chair with high backrest

- 5227-103 assembled

- seat and back upholstered H 1060-1235 / SH 415-530 / W/D 770

Swivel chair with neckrest (optional)

- 5227-103 assembled - seat and back upholstered

H 1260-1480 / SH 415-530 / W/D 770

 $H = total\ height\ /\ SH = seat\ height\ /\ W = width\ /\ D = depth\ (dimensions\ in\ mm)$

Net mesh back:





Swivel base aluminium. Load-dependently braked twin wheel castors with hard running surface, Ø 60 mm. Operating elements black plastic. Backrest either covered with mesh (Trevira CS, 100 % polyester) or upholstered. Rear of backrest: for models with fabric or synthetic leather upholstery, outer back is always with black fabric (Trevira CS, 100 % polyester); for models with leather upholstery outer back is same as inner back.

Synchro-mechanism with lateral tension control (up to 150 kg), lockable in several positions. Seat height adjustment via gas spring acc. to DIN 4550 and depth suspension. Seat depth adjustment via sliding seat (range of adjustment: 50 mm). Height-adjustable backrest (adjustment range: 50 mm). Synchro-mechanism with forward seat tilt – seat can be tilted 5 degrees forwards.

Optional extras (surcharges apply):

Adjustable neckrest (5223 and 5227), adjustable lumbar support (5225 and 5227).

Arm options (surcharges apply):

Height-adjustable arms:

Adjustable in height and width, with soft arm pads. Polished aluminium supports.

Swivelling, soft arm pads, adjustable in height, width and depth. Polished aluminium arm

Tested according to FN 1335



wiesner hager

Perfect Partners.



paro_2





A-4950 Altheim Linzer Strasse 22 T +43 (7723) 460-0 F +43 (7723) 460-331 altheim@wiesner-hager.com

D-97080 Würzburg Schürerstrasse 3 T +49 (931) 3 55 85-0 wuerzburg@wiesner-hager.com

NL-6101 XB Echt Nobelweg 17 T +31 (475) 41 02 22 benelux@wiesner-hager.com

F-67201 Eckbolsheim 13, rue Ettore Bugatti T +33 (3) 88 59 90 90 F +33 (3) 88 59 90 89 france@wiesner-hager.com

UK: Wiesner-Hager Ltd. london@wiesner-hager.com

CZ-150 00 Praha 5 Drtinova 557/10 T +420 271 730 444 F +420 271 732 293 praha@wiesner-hager.com

Certified acc. to: ISO 9001, ISO 14001 and ISO 14025

