

wiesner hager ^{concept}

yuno Office








The ingeniously flexible workstation.


With *yuno* office Wiesner-Hager has developed an unconventional office programme especially designed to meet the demands for mobility posed by coworking spaces, thus following the trend towards flexible, uncomplicated use of office space in the world of New Work. Originally designed as a stacking table for communication spaces, *yuno* has been expanded for use in the office: a special plug-in box can be docked onto *yuno*, making it into a full-fledged workstation in next to no time. The plug-in box in its powder-coated metal casing provides connections for electricity, network and USB with charging function. It also serves as a lockable storage compartment for utensils and valuables.

Design: Andreas Krob


Metal surface – fabric – combination:




Optional.




Rectangular table	Single plug-in box	Double plug-in box	Single plug-in box, high	Double plug-in box, high
Height of table 740 mm	9531-000	9533-000	9530-000	9532-000



Height of table	Left L-panel, high	Right L-panel, high	Left L-panel	Right L-panel
	9550-972: 650 x 530 mm 9550-974: 950 x 530 mm	9551-972: 650 x 530 mm 9551-974: 950 x 530 mm	9552-972: 650 x 530 mm 9552-974: 950 x 530 mm	9553-972: 650 x 530 mm 9553-974: 950 x 530 mm



Rectangular table	9531-000	9533-000	9530-000	9532-000
-------------------	----------	----------	----------	----------



9550	9551	9552	9553
------	------	------	------

Dimensions in mm

Standard model:

Table tops: Choice of decorative laminate (MFC), laminate panel (HPL) or HPL lightweight top with seamless, moisture-resistant laser edge (ABS edge), or compact top.

Frame: Legs and cross beam tubular steel. Joints and table top support die-cast aluminium. If powder-coated legs are specified, surface finish of cross beam and table top support is same as on legs. If chrome legs are specified, cross beam and table top support are black powder-coated. Plastic glides with castors, black. Cross-section: leg 50/20 mm, cross beam 30/15 mm. Metal surfaces powder-coated.

Plug-in box: Sheet steel body, black plastic shelf insert. Double plug-in box with lid and lock. Metal surfaces powder-coated.

Electrification (country-specific):

Single plug-in box: 1 x Schuko, cable length 70 cm, black. Optional: RJ45 or double USB charger.

Double plug-in box: 2 x Schuko, cable length 70 cm, black. Optional: 1 x Schuko + 1 x RJ45 or 1 x Schuko + 1 x double USB charger.

Vertical cable management (optional): Cable snakes model 9492 and 9500 – 9504.

L-panel: Carrier plate of laminate (MFC) with fabric-covered panel, inside can be used as pinboard.

Important notes: L-panel not possible for lightweight top. Covering not possible in *blazer* and synthetic leather. For table length 130 cm the double plug-in box cannot be mounted together with the L-panel width 95 cm.

Electrification of tables (optional):

Round built-in power socket: Closable socket, 2-fold. Matt chrome finish.

Square built-in power socket basic or flat: Built-in power socket 2-fold, black plastic.

Note: Square built-in power socket flat can not be combined with lightweight top.

Cable set: Mounted cable clamps, T-distributor and connecting cable. Only in connection with built-in socket, pos. B.

Vertical cable management: Black fabric sleeve. Only in connection with round built-in power socket.

Perfect Partners.



nooi conference chair



m.zone



cage

A-4950 Altheim
Linzer Strasse 22
T +43 (7723) 460-0
altheim@wiesner-hager.com

D-97080 Würzburg
Schürerstrasse 3
T +49 (931) 3 55 85-0
wuerzburg@wiesner-hager.com


NL-6101 XB Echt
Nobelweg 17
T +31 (475) 41 02 22
benelux@wiesner-hager.com

F-67201 Eckbolsheim
13, rue Ettore Bugatti
T +33 (3) 88 59 90 90
F +33 (3) 88 59 90 89
france@wiesner-hager.com

UK: Wiesner-Hager Ltd.
london@wiesner-hager.com

CZ-150 00 Praha 5
Drtinova 557/10
T +420 271 730 444
praha@wiesner-hager.com

Certified acc. to:
ISO 9001, ISO 14001
and ISO 14025



LASERKANTE
LASER EDGE